

6 Randomized metric reduction

In this chapter we are going to examine a randomized technique to embed an arbitrary metric into a tree-metric with low distortion. The technique presented here, which is based on Bartals work, was developed by Fakcharoenphol, Rao and Talwar [4] and is suitable for a large class of combinatorial optimization problems. For all of the applications presented here, no better approximation algorithms are known so far.

6.1 Notation

A metric (V, d) is defined by a set of points V (also called *nodes*) and a distance measure d with the following properties

1. $d(v, v) = 0$ for all $v \in V$,
2. $d(v, w) > 0$ for all $v, w \in V$ with $v \neq w$,
3. $d(v, w) = d(w, v)$ for all $v, w \in V$ (symmetry), and
4. $d(u, w) \leq d(u, v) + d(v, w)$ for all $u, v, w \in V$ (triangle inequality).

W.l.o.g. let the minimum distance of two nodes be 1, and let Δ be the *diameter* of the metric (i.e., the maximum distance of all pairs of nodes). Further, we assume w.l.o.g. that $\Delta = 2^\delta$ for some $\delta \in \mathbb{N}$.

A metric (V, d') *dominates* another metric (V, d) if for all $v, w \in V$, $d'(v, w) \geq d(v, w)$. The goal is to find a dominating tree metric for any given metric.

Let \mathcal{S} be a family of metrics over V , and let \mathcal{D} be a probability distribution over \mathcal{S} . We say that $(\mathcal{S}, \mathcal{D})$ *approximates* metric (V, d) α -*probabilistically* if every metric in \mathcal{S} dominates (V, d) and for every pair u, v of nodes in V it holds that $\mathbb{E}_{d' \in (\mathcal{S}, \mathcal{D})}[d'(u, v)] \leq \alpha \cdot d(u, v)$.

An r -*decomposition* of (V, d) , with $r \in \mathbb{N}$, is a partition of V into groups such that for every group G there is a node $v \in V$ with $d(v, w) < r$ for all $w \in G$ (i.e., the *radius* of the group is less than r and therefore its diameter is less than $2r$). A *hierarchical decomposition* of (V, d) is a series of $\delta + 1$ decompositions $D_0, D_1, \dots, D_\delta$ with the property that

- $D_\delta = \{V\}$ is the trivial partition (all nodes are in one group), and
- D_i is a 2^i -decomposition and refinement of D_{i+1} (i.e., groups in D_{i+1} are divided into further subgroups).

Each group in D_0 has radius less than 1 and therefore consists of a single node.

6.2 From decompositions to trees

A hierarchical decomposition defines a laminar family (i.e., a set of subsets $\mathcal{F} \subseteq 2^V$ with the property that for all $A, B \in \mathcal{F}$, $A \subseteq B$ or $B \subseteq A$ or $A \cap B = \emptyset$) and can be represented by a *decomposition tree* as follows. For every i , every group $G \in D_i$ represents a node in that tree and the children of G are all groups $G' \in D_{i+1}$ that are contained in G . The root is the node representing V while the leaves are formed by groups containing only a single node (cf. Fig. 1).

Let the edges of a node $S \in D_i$ to any of its children in the decomposition tree T have length 2^i (which is an upper bound for the radius of S). This induces a distance function $d_T(\cdot, \cdot)$ on V with $d_T(v, w)$ being equal to the length of the unique path from the node $\{v\} \in D_0$ to the node $\{w\} \in D_0$ in T . It is not difficult to check that d_T is a metric. Further, $d_T(v, w) \geq d(v, w)$ for all $v, w \in V$ since the least common ancestor of v and w in T must represent a set with diameter at least $d(v, w)$. In the following we will prove upper bounds for $d_T(v, w)$ as well. A pair (v, w) is *at level i* if v and w appear the last time together in a group $G \in D_i$. If (v, w) is at level i , then $d_T(v, w) = 2 \sum_{j=1}^i 2^j \leq 2^{i+2}$.

6.3 Decomposition of the set of nodes

Consider the following random experiment to create a hierarchical decomposition of (V, d) , where $V = \{v_1, \dots, v_n\}$. Choose a permutation π uniformly at random out of the set of all permutations of $\{1, \dots, n\}$, and choose β uniformly at random in $[1, 2]$. Then, for every i , we compute D_i out of D_{i+1} as follows.

Set $\beta_i := 2^{i-1}\beta$. Let S be a group in D_{i+1} . Every node $u \in S$ gets assigned to the first node $v \in V$ (regarding π) which is closer than β_i to u . This node is declared as u 's *center*. In this way, S is cut into several groups in D_i . Note that the center of a group S does not have to be part of S and that there might be several groups in D_i with the same center,




Figure 1: From a laminar family to a decomposition-tree.

which is the case if the nodes already belong to different groups in D_{i+1} . Furthermore, $\beta_i \leq 2^i$ and therefore the radius of all groups in D_i is less than 2^i which leads to a 2^i -decomposition. The formal decomposition algorithm is shown in Figure 2. We note that a group may stop participating in lower levels once it has reached a size of 1, so it will be a leaf of the decomposition tree representing the node it consists of.

Algorithm Partition(V, d):
 choose a random permutation π of $\{1, \dots, n\}$
 choose β uniformly at random from $[1, 2]$
 $D_\delta := \{V\}; i := \delta - 1$
while D_{i+1} contains a group with more than one node **do**
 $\beta_i := 2^{i-1}\beta$
 for $\ell := 1$ **to** n **do**
 for every $S \in D_{i+1}$ **do**
 create a new group with all thus far unassigned nodes in S
 which are closer to $v_{\pi(\ell)}$ than β_i
 $i := i - 1$

Figure 2: The partitioning algorithm

Algorithm 2 can be implemented in a straight-forward way with runtime $O(n^3)$. With specific data structures one can decrease the runtime to $O(n^2)$, which is linear in the input size since d usually needs complexity $\Theta(n^2)$ to be described properly.

Fix a pair (u, v) . Now, we show that the expectation of $d_T(u, v)$ is bounded by $O(d(u, v) \log n)$. Considering the discussion above we get

$$\mathbb{E}[d_T(u, v)] \leq \sum_{i=0}^{\delta} \mathbb{P}[(u, v) \text{ is at level } i] \cdot 2^{i+2}.$$

Certainly, if $d(u, v) \geq 2^{i+1}$, nodes u and v cannot be contained in the same group in D_i . In other words, (u, v) cannot be at level i . Let i^* be the smallest i with $d(u, v) < 2^{i+1}$. Then $\mathbb{P}[(u, v) \text{ is at level } i] = 0$ for all $i < i^*$. Thus, it remains to bound this probability for $i \geq i^*$. For any $i^* \leq j \leq \delta$ let K_j^u be the set of nodes in V which are closer than 2^j to node u . Further, let $k_j^u = |K_j^u|$. (We set $k_j^u = 0$ for $j < i^*$.)

Consider some fixed $i \geq i^*$. We say that $v_{\pi(\ell)}$ *decides* the pair (u, v) at level i if it is the first center that node u or v is assigned to at level i . Note that once π and β are fixed, this center is unique and well defined. Further, we say that

$v_{\pi(\ell)}$ cuts the pair (u, v) at level i if it decides (u, v) at level i and exactly one node from u and v gets assigned to $v_{\pi(\ell)}$. Obviously, if (u, v) is at level $i + 1$, then there must be a node w that cuts (u, v) in level i . Therefore it holds

$$\begin{aligned} \mathbb{P}[(u, v) \text{ is at level } i + 1] &= \mathbb{P}[\exists w : w \text{ cuts } (u, v) \text{ at level } i] \\ &\leq \sum_w \mathbb{P}[w \text{ cuts } (u, v) \text{ at level } i]. \end{aligned}$$

We say that a center w cuts node u from (u, v) at level i if w cuts the pair (u, v) and u is being assigned to w . For each center w we limit the probability for w to cut u from (u, v) at level i . For this we order the centers in K_i^u in ascending distance to u . Suppose this order is given by $w_1, w_2, \dots, w_{k_i^u}$. In this case, a center w_s is able to cut u from (u, v) only if the following holds:

1. $d(u, w_s) < \beta_i$,
2. $d(v, w_s) \geq \beta_i$, and
3. w_s decides (u, v) .

From the first two requirements it follows that β_i must be in the interval $[d(u, w_s), d(v, w_s)]$. Due to the triangle inequality it holds $d(v, w_s) \leq d(v, u) + d(u, w_s)$ and therefore the length of the interval $[d(u, w_s), d(v, w_s)]$ is at most $d(u, v)$. Since β_i is chosen uniformly at random from $[2^{i-1}, 2^i]$, the probability for β_i to lie in the said interval is at most $d(u, v)/2^{i-1}$.

Next, we can deduce a probability from requirement (3). Due to the definition of K_i^u it holds that $d(u, w_s) < \beta_i$ and therefore $d(u, w_{s'}) < \beta_i$ for all $s' \leq s$. The probability that (u, v) is decided by center w_s is at most $1/s$ since π is a random permutation.

Note that the first probability bound only depends on β while the second one only depends on the choice of π . Thus, both probability bounds hold independently and we obtain the following inequalities.

$$\begin{aligned} \mathbb{P}[(u, v) \text{ is at level } i + 1] &\leq \sum_{s=1}^{k_i^u} (d(u, v)/2^{i-1}) \cdot \frac{1}{s} + \sum_{s=1}^{k_i^v} (d(u, v)/2^{i-1}) \cdot \frac{1}{s} \\ &\leq \frac{d(u, v)}{2^{i-1}} (\ln k_i^u + 1 + \ln k_i^v + 1) \leq \frac{d(u, v)(\ln n + 1)}{2^{i-2}} \end{aligned}$$

Hence,

$$\begin{aligned} \mathbb{E}[d_T(u, v)] &\leq \sum_{i=0}^{\delta} \mathbb{P}[(u, v) \text{ is at level } i] \cdot 2^{i+2} \\ &\leq \sum_{i=i^*}^{\delta} \frac{d(u, v)(\ln n + 1)}{2^{i-3}} \cdot 2^{i+2} = O(\delta \log n \cdot d(u, v)). \end{aligned}$$

Thus, the expected length of $d_T(u, v)$ is in $O(\log \Delta \cdot \log n \cdot d(u, v))$.

To show the bound of $O(\log n)$ we observe that the amount of centers over all δ levels is n . A more detailed analysis of the procedure above will then provide the desired result, as shown next.

Let us fix a $i \geq i^* + 3$. Due to the definition of i^* it follows that $d(u, v) < 2^{i-2}$. Additionally, for any $w \in K_{i-2}^u$ it holds $d(v, w) \leq d(v, u) + d(u, w) < 2^{i-2} + 2^{i-2} = 2^{i-1} \leq \beta_i$. Hence, w cannot be the center cutting u from (u, v) since this would require the three requirements above to be fulfilled. Therefore, no center of $w_1, w_2, \dots, w_{k_{i-2}^u}$ is able to cut u from (u, v) at level i . It follows that the probability for u to be cut from (u, v) is at most

$$\sum_{s=k_{i-2}^u+1}^{k_i^u} (d(u, v)/2^{i-1}) \cdot \frac{1}{s} = (d(u, v)/2^{i-1}) \cdot (H_{k_i^u} - H_{k_{i-2}^u})$$

where $H_n = \sum_{i=1}^n \frac{1}{i}$ is the harmonic number. Since (u, v) is cut if either u or v gets cut from (u, v) , the probability for the pair (u, v) to be cut in level i is upper bounded by

$$\frac{d(u, v)}{2^{i-1}} \cdot [H_{k_i^u} + H_{k_i^v} - H_{k_{i-2}^u} - H_{k_{i-2}^v}].$$

For $i \in \{i^*, \dots, i^* + 2\}$ we can bound this probability by the formula

$$\frac{d(u, v)}{2^{i-1}} \cdot (H_{k_i^u} + H_{k_i^v}) \leq \frac{d(u, v)}{2^{i-1}} \cdot 2H_n.$$

The expectation of $d_T(u, v)$ is therefore

$$\begin{aligned} \mathbb{E}[d_T(u, v)] &\leq \sum_{i=0}^{\delta} \mathbb{P}[(u, v) \text{ is at level } i] \cdot 2^{i+2} \\ &\leq \sum_{i=i^*}^{i^*+2} 2H_n \cdot \frac{d(u, v)}{2^{i-1}} \cdot 2^{i+2} \\ &\quad + \sum_{i=i^*+3}^{\delta} [H_{k_i^u} + H_{k_i^v} - H_{k_{i-2}^u} - H_{k_{i-2}^v}] \cdot \frac{d(u, v)}{2^{i-1}} \cdot 2^{i+2} \\ &\leq 8d(u, v)(3 \cdot 2H_n + H_{k_{i^*}^u} + H_{k_{i^*}^v} + H_{k_{i^*-2}^u} + H_{k_{i^*-2}^v} + H_{k_{i^*-1}^u} + H_{k_{i^*-1}^v}) \\ &\leq 8d(u, v) \cdot 10H_n \\ &\leq 80(\ln n + 1) \cdot d(u, v). \end{aligned}$$

This shows that the expected value of $d_T(u, v)$ is at most $O(d(u, v) \cdot \log n)$ for any pair (u, v) . Hence, it holds:

Theorem 6.1 *The probability distribution over the tree metric defined by the partitioning algorithm $O(\log n)$ -probabilistically approximates metric d .*

6.4 Applications

Many problems are much easier to solve in tree metrics than in others. A few of these are presented below.

The k -median problem

An instance of the k -median problem consists of a set of points $V = \{v_1, \dots, v_n\}$ and a metric d . The goal is to find a set $M \subseteq V$ of k median points such that the sum of the distances of all nodes to its closest median-points is minimal, i.e.

$$\sum_{i=1}^n \min_{w \in M} d(v_i, w).$$

For trees we know optimal algorithms. In the case of a tree-metric we assume that we are given an undirected graph $G = (V, E)$ with edge lengths $c : E \rightarrow \mathbb{R}_+$, where G represents a tree, and the distance $d(u, v)$ for an arbitrary pair $u, v \in V$ is defined as the length of the unique path from u to v in G . For this case Tamir [6] presented a precise algorithm, which is based on dynamic programming and runs in time $O(k \cdot n^2)$. If k is constant, even precise algorithms with runtime $O(n \cdot \text{polylog}(n))$ are known [2]. Hence, we obtain the following result.

Theorem 6.2 *With Tamir's algorithm one can solve the k -median problem for arbitrary metrics in time $O(k \cdot n^2)$ with an expected approximation ratio of $O(\log n)$.*

Proof. Consider the following algorithm:

Given an arbitrary instance (V, d) where d is a metric, reduce d to a tree metric d' using algorithm $\text{Partition}(V, d)$, solve the problem on d' using Tamir's algorithm, and return the objective value obtained by that algorithm.

As we will show, this algorithm has an expected approximation ratio of $O(\log n)$, which proves the theorem. For a given metric d let

$$OPT_d = \min_{M \subseteq V, |M|=k} \sum_{i=1}^n \min_{w \in M} d(v_i, w)$$

be the optimal value of the k -median problem regarding this metric. Let \mathcal{B} be a family of tree metrics over V and \mathcal{D} a probability distribution over \mathcal{B} . Assume $(\mathcal{B}, \mathcal{D})$ approximates (V, d) α -probabilistically. Then it holds for any $d' \in \mathcal{B}$ that

(V, d') dominates (V, d) and thus $OPT_{d'} \geq OPT_d$. Furthermore, for the optimal set of medians M concerning d it holds that $OPT_{d'} \leq \sum_{i=1}^n \min_{w \in M} d'(v_i, w)$. Hence,

$$\begin{aligned} \mathbb{E}[OPT_{d'}] &\leq \mathbb{E} \left[\sum_{i=1}^n \min_{w \in M} d'(v_i, w) \right] \\ &= \sum_{i=1}^n \mathbb{E}[\min_{w \in M} d'(v_i, w)] \\ &\stackrel{(*)}{\leq} \sum_{i=1}^n \min_{w \in M} \mathbb{E}[d'(v_i, w)] \\ &\leq \sum_{i=1}^n \min_{w \in M} \alpha \cdot d(v_i, w) = \alpha \cdot OPT_d. \end{aligned}$$

Inequality $(*)$ follows since it is known that for any matrix $A = (a_{i,j}) \in \mathbb{R}^{(m,k)}$,

$$\sum_{i=1}^m \min\{a_{i,1}, \dots, a_{i,k}\} \leq \min \left\{ \sum_{i=1}^m a_{i,1}, \dots, \sum_{i=1}^m a_{i,k} \right\}.$$

Hence, $\mathbb{E}[OPT_{d'}] \in [OPT_d, \alpha \cdot OPT_d]$. Therefore, the expected approximation ratio of our algorithm is $\alpha = O(\log n)$.

If a k -median set is required instead of a number, we can just output the median set M' found for d' , because due to the fact that d' dominates d it holds that

$$\sum_{i=1}^n \min_{w \in M'} d(v_i, w) \leq \sum_{i=1}^n \min_{w \in M'} d'(v_i, w) = OPT_{d'}$$

so the objective value for M' w.r.t. d is at most as high as the objective value for M' w.r.t. d' , which means that on expectation, it is still at most $O(OPT_d \log n)$. \square

The group-Steiner-tree problem

An instance of the group-Steiner-tree problem consists of a connected undirected graph $G = (V, E)$ with edge costs given by $c : E \rightarrow \mathbb{R}_+$ and k subsets $V_1, \dots, V_k \subseteq V$. The goal is to find a tree $T = (V', E')$ in G containing at least one element of each subset and having minimum edge costs $\sum_{e \in E'} c(e)$.

Garg, Konjevod and Ravi [5] presented a $O(\log k \log n)$ -approximation algorithm for trees, which implies the following result for arbitrary graphs.

Theorem 6.3 *Using the GKR-algorithm one can solve the group-Steiner-tree problem for arbitrary graphs in polynomial time with an expected approximation ratio of $O(\log k \log^2 n)$.*

Proof. Let us use the same approach as in the previous problem:

Given an arbitrary instance (G, c, V_1, \dots, V_k) , define $d(v, w)$ as the length of the shortest path from v to w in G with respect to the edge costs c . Then reduce d to a tree metric d' using algorithm $\text{Partition}(V, d)$, where d' represents the shortest path metric in the decomposition tree $DT = (V', E')$. Let $c' : E' \rightarrow \mathbb{N}$ denote the costs of the edges of DT as defined in Section 5.2. Then we use the GKR-algorithm to solve the group-Steiner-tree problem for $(DT, c', V_1, \dots, V_k)$ where the sets V_i refer to the singletons at level D_0 in DT , and return the objective value obtained by that algorithm.

As we will show, this algorithm has an expected approximation ratio of $O(\log k \log^2 n)$, which proves the theorem. Let $T = (U, F)$ be the optimal group-Steiner-tree in G , and let T be organized in a unique way from some fixed node $r \in U$, which we declare as its root. For every $i \in \{1, \dots, k\}$, let $v_i \in U$ be the first node in V_i encountered in T when performing an inorder traversal of T . Certainly, there must be such a node for each i , otherwise T would not be a group-Steiner-tree. Also, all leaves in T must be one of the v_i 's because otherwise T would be reducible. Suppose for simplicity that the v_i 's are visited by the inorder traversal in the order v_1, v_2, \dots, v_k . Let $p(v, w)$ be the unique path from v to w in T , and let

$c(p(v, w))$ be sum of the costs of the edges in p . Since the paths $p(v_1, v_2), p(v_2, v_3), \dots, p(v_{k-1}, v_k), p(v_k, v_1)$ stitched together give an Euler tour of T , it holds for $v_{k+1} = v_1$ that

$$\sum_{i=1}^k c(p(v_i, v_{i+1})) = 2 \sum_{e \in F} c(e)$$

On the other hand, $c(p(v_i, v_{i+1})) \geq d(v_i, v_{i+1})$, so

$$\sum_{i=1}^k c(p(v_i, v_{i+1})) \geq \sum_{i=1}^k d(v_i, v_{i+1})$$

which implies that

$$\sum_{i=1}^{k-1} d(v_i, v_{i+1}) \leq 2 \sum_{e \in F} c(e).$$

Moreover, the union of the edges on the shortest paths for the pairs (v_i, v_{i+1}) results in a connected subgraph of G with costs at least equal to the ones of T . Hence,

$$\sum_{e \in F} c(e) \leq \sum_{i=1}^{k-1} d(v_i, v_{i+1})$$

Therefore, altogether,

$$\sum_{e \in F} c(e) \leq \sum_{i=1}^{k-1} d(v_i, v_{i+1}) \leq 2 \sum_{e \in F} c(e).$$

Now, let $T' = (U', F')$ be the optimal group-Steiner-tree in the decomposition tree DT , and let w_1, \dots, w_ℓ be its leaves. Obviously, each leaf must belong to some group V_i , and each group V_i has at most one leaf in T' because otherwise T' can be reduced. Also, there cannot be any inner nodes of DT that belong to some V_i since the nodes in V are mapped to the leaves of DT . Hence, $\ell = k$. For simplicity, suppose that $w_i \in V_i$.

Using the inequalities for T and the fact that d' dominates d , it holds that

$$\begin{aligned} \sum_{e \in F'} c'(e) &\geq \frac{1}{2} \sum_{i=1}^{k-1} d'(w_i, w_{i+1}) \geq \frac{1}{2} \sum_{i=1}^{k-1} d(w_i, w_{i+1}) \\ &\geq \frac{1}{2} \sum_{e \in F} c(e). \end{aligned}$$

Thus, the cost of T' regarding d' is at least as high as half the cost of an optimal group-Steiner-tree in G . Furthermore, for the unique minimum tree $T'' = (U'', F'')$ connecting the nodes v_i, \dots, v_k in DT it holds that

$$\begin{aligned} \mathbb{E} \left[\sum_{e \in F''} c'(e) \right] &\leq \mathbb{E} \left[\sum_{i=1}^{k-1} d'(v_i, v_{i+1}) \right] \\ &= \sum_{i=1}^{k-1} \mathbb{E} [d'(v_i, v_{i+1})] \\ &\leq \sum_{i=1}^{k-1} \alpha d(v_i, v_{i+1}) \\ &\leq 2\alpha \sum_{e \in F} c(e). \end{aligned}$$

Now, let T_{GKR} be the tree obtained by the GKR-algorithm in DT . Since the GKR-algorithm ensures that for the optimal tree T' in DT , $\sum_{e \in T_{\text{GKR}}} c'(e) \leq \beta \sum_{e \in F'} c'(e) \leq \beta \sum_{e \in F''} c'(e)$, where $\beta = O(\log k \log n)$, we observe that

$$\mathbb{E} \left[\sum_{e \in T_{\text{GKR}}} c'(e) \right] \in \left[\frac{1}{2} \sum_{e \in F} c(e), 2\alpha\beta \sum_{e \in F} c(e) \right].$$

Therefore, we obtain a $O(\log k \log^2 n)$ -approximation.

If instead of the objective value we want the group-Steiner-tree as output of our algorithm, we simply output any tree $\hat{T} = (\hat{U}, \hat{F})$ in G containing w_1, \dots, w_k that can be obtained from the subgraph resulting from the union of the shortest paths for the pairs $(w_1, w_2), (w_2, w_3), \dots, (w_{k-1}, w_k), (w_k, w_1)$ in G . For this tree we get

$$\sum_{\{u,v\} \in \hat{F}} c(u,v) \leq \sum_{i=1}^k d(w_i, w_{i+1}) \leq \sum_{i=1}^k d'(w_i, w_{i+1}) \leq 2 \sum_{e \in F'} c'(e).$$

So on expectation, the cost of \hat{T} is still at most $O(OPT_d \log k \log^2 n)$. \square

Buy en bloc network design

A problem instance consists of an undirected graph $G = (V, E)$ with edge lengths $\ell : E \rightarrow \mathbb{R}_+$ and a set of source-target-pairs (s, t) with flow requirements $d(s, t)$. For each source-target-pair a path through G must be chosen. One achieves this by buying/renting cable along the edges. Exactly k types of cable exist, where type i has capacity u_i and cost c_i per unit of length. The goal is to buy/rent enough cable such that a flow of $d(s, t)$ is possible for every source-target-pair (s, t) with costs as low as possible.

Awerbuch and Azar [1] presented a $O(1)$ -approximation algorithm for trees. Consequently, we obtain the following theorem.

Theorem 6.4 *By using the Awerbuch-Azar algorithm one can solve the buy en bloc network design problem for arbitrary graphs in polynomial time with an expected approximation ratio of $O(\log n)$.*

Vehicle routing

A problem instance consists of a metric (V, d) . In this metric, n objects are placed which need to be transported to n target points. This is done by a waggon driving from point to point in V with a cargo capacity of k objects. The goal is to minimize the overall path length of the waggon needed to deliver all objects.

Charikar et al. [3] presented an $O(1)$ -approximation algorithm for trees. Consequently, we obtain the following theorem.

Theorem 6.5 *By using the CCGG-algorithm one can solve the vehicle routing problem for arbitrary graphs in polynomial time with an expected approximation ratio of $O(\log n)$.*

References

- [1] B. Awerbuch and Y. Azar. Buy-at-bulk network design. In *Proc. of the 38th IEEE Symp. on Foundations of Computer Science (FOCS)*, pages 542–547, 1997.
- [2] R. Benkoczi and B. Bhattacharya. A new template for solving p -median problems for trees in sub-quadratic time. In *Proc. of the European Symposium on Algorithms (ESA)*, pages 271–282, 2005.
- [3] M. Charikar, C. Chekuri, A. Goel, and S. Guha. Rounding via trees: Deterministic approximation algorithms for group Steiner trees and k -median. In *Proc. of the 30th ACM Symp. on Theory of Computing (STOC)*, pages 114–123, 1998.
- [4] J. Fakcharoenphol, S. Rao, and K. Talwar. A tight bound on approximating arbitrary metrics by tree metrics. In *Proc. of the 35th ACM Symp. on Theory of Computing (STOC)*, pages 448–455, 2003.
- [5] N. Garg, G. Konjevod, and R. Ravi. A polylogarithmic approximation algorithm for the group Steiner tree problem. *Journal of Algorithms*, 37:66–84, 2000.
- [6] A. Tamir. An $o(pn^2)$ algorithm for the p -median and related problems on tree graphs. *Operations Research Letters*, 19(2):59–64, 1996.